

















KABA®

Kaba E-Flash EF780

Electronic Door Lock

Unlock your door with a simple touch

-  Stylish design with two colour options
-  Digital touch pad design
-  Fingerprint or pin code identification
-  Easy registration of pin code and fingerprint
-  Enhanced security by scramble code
-  Standard or double security access mode
-  Automatic locking
-  Automatic unlocking on exit
-  Free access or privacy mode selectable
-  3 minute lock out mode
-  Voice guide with volume control
-  External 9V battery terminal for emergency use
-  Emergency key override
-  Low battery power alert
-  Remote control (optional)



Tailored Flexibility

The E-Flash EF780 is an ideal digital door lock for residential purposes.

The E-Flash EF780 is not only stylish in design but is also simple to use, with its built in voice guide function.

The EF780 eliminates the need for keys with the simple to use digital touch pad and allows easy registration of password (pin code) or fingerprint.

With its modern stylish design the EF780 is available in two colour choices - white or black.

Optional wireless door remote control provides added flexibility to the system.

Product characteristics

The EF780 provides the convenience of fingerprint or password (pin code) identification access.

The voice guide function has a volume control and assists users to operate and set functions with ease and convenience.

When the door is securely locked and an outsider tries to break into the premises by forcibly opening the door or damaging the lock a built-in trespassing/damage alarm is activated.

The EF780 has an automatic lock mode with manual override.

Construction

The durable construction materials including steel mortice lockcase, zinc die casting front and main body with a high impact resin ensure high strength within the system

Applications

- Residential properties

SPECIFICATIONS


Key type	Fingerprint or Pin code
User capacity	Up to 100 finger print registrations
Password combination	4-12 digit combination
Colour	Silver/Black or Silver/White
Power supply	Alkaline 1.5V 4 x AA battery
Operating temperature	-15° - 55°
Applicable door depth	32mm - 65mm
Backset	55mm - (EF780E) 60mm - (EF780S and EF780D)
Battery life	Approx. 1 year (10 times usage per day)
Dimensions (excl. handle)	External Body: 23.5 (D) x 74 (W) x 282 (H) mm Internal body: 25 (D) x 74 (W) x 282 (H) mm
Dimensions (incl. handle)	External body: 78 (D) x 151 (W) x 282 (H) mm Internal Body: 79.5 (D) x 151 (W) x 282 (H) mm

* Battery lifetime depends on ambient temperature, humidity, frequency of usage and quality of batteries

** Due to product improvement, product specification is subject to change without prior notice




Scramble code



Fingerprint sensor



Touch pad illuminates when touched



Key override and 9V battery terminal for emergency use



Privacy mode



Accessories - manual key and optional remote control



Kaba Australia Pty Limited

Tel: 1300 728 088
Fax: 1300 728 708

info@kaba.com.au
www.kaba.com.au

Kaba New Zealand Limited

Tel: 09 274 3341
Fax: 09 274 3301

info@kaba.co.nz
www.kaba.co.nz