



DUAL
SELECT

Turn the key for
Privacy Lock
Turn the key further to
select Deadlock

Security Screen Door Products



ASSA ABLOY


ASSA ABLOY, the global leader
in door opening solutions

8654 Hinged Security Screen Door Lock

The Lockwood 8654 Hinge Security Door Lock has been designed in Australia and manufactured to stringent quality specifications. The range has been tested in accordance with AS4145.2-2008, offering exceptional performance and reliability. Incorporating Lockwood's advanced safety and security feature, DualSelect®, the 8654 Hinge Security Door Lock is ideal for use in residential applications.

Features and Specifications


- 2 stage key locking, offers safety and security for all occupants by giving a choice of selecting safety mode or secure mode when exiting the home
- Turning the key to the first selection engages the safety lock, this offers security from the outside whilst allowing occupants inside to safely exit using the internal lever and snib
- Turning the key to the second selection engages the secure lock, this provides internal and external security, and requires the key to unlock the door from inside and outside



Note:

Safety mode: (Privacy-lock / Snibbed)

Secure mode: (Deadlock)



8654 Hinged Security Screen Door Lock



Features and Specifications (Continued)

This high performance lock meets or exceeds the requirements of Australian Standard AS 4145.2 – 2008: Locksets and Hardware for Doors and Windows Part 2: Mechanical Locksets for Doors and Windows in Buildings, to Level S6 and D7. Successfully tested on security screen doors in accordance with Australian Standard AS 5039 - 2008: Security Screen Doors and Security Window Grilles and AS 5041-2003: Methods of Test.

- Suits left or right hand opening doors
- Stainless steel hookbolt for increased security
- Key locking from both sides
- Inside snib locking (with key override)
- Large ergonomically improved snib to assist with operation
- Snib only version also available
- No snib version also available
- Stainless steel front end plates
- Self latching with stainless steel hook deadbolt for improved security performance
- Can only be locked when fully engaged with strike
- Optional 3 point kits available for premium security
- When 3 point kit is fitted, snib activates/operates all 3 locking points
- Push on actuating bar suits above or below centreline applications
- Available in a range of polyester powdercoat and plated finishes
- Fits industry standard cut outs/door preparation
- Retrofits Whitco Tasman Mk2 and Mk3 Locks
- Zinc diecast lock mechanism and furniture
- Easy installation for both new and retrofit applications
- Accepts Lockwood Euro profile lazy cam cylinder
- Suit standard 20mm door thickness
- Available in display and trade packs

Application

Single or multi point mortice hinge security door lock available in high strength (3 point) and standard versions. Snib only and no snib mortice locksets are also available.

Order Code	Product Description
8654BLK	Single point lock set no cylinder - Black
8654BRN	Single point lock set no cylinder - Brown
8654CP	Single point lock set no cylinder - Chrome Plate
8654EVB	Single point lock set no cylinder - Everbrass (Gold Plate)
8654GSP	Single point lock set no cylinder - Gold Spangle
8654MAG	Single point lock set no cylinder - Magnolia
8654PRM	Single point lock set no cylinder - Primrose
8654SP	Single point lock set no cylinder - Satin Chrome Pearl
8654STB	Single point lock set no cylinder - Stone Beige
8654WH	Single point lock set no cylinder - White
8654WHB	Single point lock set no cylinder - White Birch
8654SOBLK	Single point lock set snib only - Black
8654NSBLK	Single point lock set no cylinder, no snib - Black
8654EWSBLK	Single point lock set no cylinder, extra wide strike - Black
8654BLKDP	Single point lock set with cylinder - Black (Display Pack)
8654 - 3PK	Standard 3 point kit
8654 - 3PK/HS	High security 3 point kit

Note: Lockset includes furniture, snib, strike, installation instructions and screw packs.

Keying

- Use with Lockwood Euro profile lazy cam cylinder - with Kinetic Defence™ and Anti-Drill
- 2 x 5 pin cylinder
- Can be keyed alike to other Lockwood C4 door and window products

Standard Finishes

Polyester powdercoat

- Black
- Brown
- Gold Spangle
- Magnolia
- Primrose
- White
- White Birch

Plated

- Chrome Plate
- Satin Chrome Pearl
- Everbrass (Gold Plate)


Accessories

- Standard multi point kit
- High strength multi point kit


8654 Hinged Security Screen Door Lock

8654 Line Diagrams


3 Point Locking Kit




Strike - Centre Lock (Standard) SP8654-20



Strike - Centre Lock (Extra Width) SP8654-21




Strike - Centre Lock (12mm Step Over) SP8654-22




8654 Hinged Security Screen Door Lock



Strike - Aux Lock (Standard) SP8654-23



Strike - Aux Lock (12mm Step Over) SP8654-24



8653 Sliding Security Screen Door Lock

The Lockwood 8653 Sliding Door Lock has been designed in Australia and manufactured to stringent quality specifications. The range has been tested in accordance with AS4145.2-2008, offering exceptional performance and reliability.

Incorporating Lockwood's advanced safety and security features, DualSelect® and LockAlert®, the 8653 Sliding Security Door Lock is ideal for use in residential applications.

Features and Specifications

- **DUALSELECT** 2 stage key locking, offers safety and security for all occupants by giving a choice of selecting privacy lock or deadlock when exiting the home
- Turning the key to the first selection engages the privacy lock, this offers security from the outside whilst allowing occupants inside to safely exit using the internal lever
- Turning the key to the second selection engages the deadlock, this provides internal and external security, and requires the key to unlock the door from inside and outside

LOCKALERT

The LockAlert feature added to the 8653 Sliding Security Door Lock range allows you to see if the inside lever is key locked at a glance.

● Secure Mode


Locked from both inside and outside.

● Safety Mode

Locked from outside and free to exit from inside.

● Passage Mode

Free to enter from outside and free to exit from inside.



Features and Specifications (Continued)

This high performance lock meets or exceeds the requirements of Australian Standard AS 4145.2 – 2008: Locksets and Hardware for Doors and Windows Part 2: Mechanical Locksets for Doors and Windows in Buildings, to Level S7 and D8.

Successfully tested on security screen doors in accordance with Australian Standard AS 5039-2008: Security Screen Doors and Security Window Grilles and AS 5041-2003: Methods of Test.

- Suits left or right hand closing doors
- Key locking from both sides
- Inside snib locking (with key override)
- Snib only version also available
- Stainless steel front end plates
- Self latching with stainless steel parrot beak deadlatch
- Can only be locked when fully engaged with strike
- Stainless steel strike available for single point locks
- Optional 3 point kit available for premium security
- When 3 point kit is fitted, snib activates/operates all 3 locking points
- Available in a range of polyester powdercoat and plated finishes
- Fits industry standard cut outs/door preparation
- Retrofits previous Whitco Leichhardt Lock
- Zinc diecast lock mechanism and furniture
- Easy installation for both new and retrofit applications
- Accepts Lockwood Euro profile lazy cam cylinder
- Suit standard 20mm door thickness
- Available in display and trade packs

Application

Single or multi point mortice sliding security door lock available in high strength (3 point) and standard versions. A snib only mortice lockset is also available.

Order Code	Product Description
8653BLK	Single point lockset no cylinder - Black
8653PRM	Single point lockset no cylinder - Primrose
8653WH	Single point lockset no cylinder - White
8653CP	Single point lockset no cylinder - Chrome Plate
8653SP	Single point lockset no cylinder - Satin Chrome Pearl
8653BLKDP	Single point lockset with cylinder - Black (display pack)
8653BLKSO	Single point snib only lockset - Black
8653-3PK	Standard 3 point kit
SP8653-53	High strength strike
8653-3PK/RF	Retrofit 3 point kit
8650-2CP	Anti drill cylinder

Note: Lockset includes furniture, snibs, strike, installation instructions and screw packs.

Keying

- Use with Lockwood Euro profile lazy cam cylinder
- 2 x 5 pin cylinder
- Can be keyed alike to other Lockwood door and window products

Standard Finishes

Polyester powdercoat

- Black
- Primrose
- White

Plated

- Chrome Plate
- Satin Chrome Pearl


Accessories

- Standard multi point kit
- High strength strike kit
- Dummy handle sets
- Extended lever kit sets


8653 Sliding Security Screen Door Lock

8653 Line Diagrams


3 Point Locking Kit




Standard Strike (Zinc)



High Strength Strike (Stainless Steel)



Auxiliary Strike/3 Point (Stainless Steel)



Pneumatic Screen Door Closers

403 Pneumatic Screen Door Closer is suitable for right or left hand hinged screen doors or light internal doors weighing up to 21kg.

The Lockwood 403 Pneumatic Screen Door Closer replaces the old type air bleed screw found on other pneumatic closers, with a spring loaded bleed valve. This enables air to escape when under great force.

When a pneumatic closer normally closes, it builds up air pressure to a certain point and then stops suddenly causing what is called compression shock which places undue force on the closer and the hinges of the door itself.

With the 403's new spring valve, the air can escape, reducing this compression shock and giving a smoother closing operation.

The 403 screen door closer also has a large adjusting knob on the end so the home owner can adjust as required without the need of tools.

It has a detent, click feel, to give tactile feedback to the user and to maintain the desired setting longer.

A rod retaining clip is also included to ensure the closer rod is retained on the frame bracket.

Features and Specifications


403 Screen Door Closer


- Spring loaded bleed valve for smooth closing
- Closing speed easily hand adjustable
- Door hold-open feature
- Surface mounting
- Rapid air release function
- Automatic latch operation
- Easy installation

Ordering Procedure

403 Screen Door Closer for Doors Weighing up to 21kg

Product	Finish	Packaging	Part No
403	Brown	Display pack	403BRNDP
	Silver	Display pack	403SILDP
	Black	Trade pack	403BLK
	Primrose	Trade pack	403PRM
	White	Trade pack	403WH





Kinetic Defence is a technology now added to Lockwood 5 pin tumbler cylinders. It consists of a unique set of driver pins, along with tight manufacturing tolerances that increase the security of the cylinder by resisting bump and picking manipulation.

Please note: The Kinetic Defence™ is in the cylinder and therefore dependent on the cylinder being purchased. The Kinetic Defence™ cylinders are being progressively rolled out on all C4 Lockwood branded products.



25 Year Mechanical Guarantee: ASSA ABLOY Australia has recently completed a full review of all the warranties and guarantees that it offers for the brands sold in Australia. The review was conducted for two major reasons.

1. To ensure compliance with the Australian Consumer Law which came into effect on 1-1-2011 and has caused a lot of confusion in the market place.

2. As the global leader in door & window opening solutions, it wants to make sure that it remains relevant with the changes and expectations in the market place. Extensive market and customer research resulted in a major change for the flagship brand Lockwood where the previous 'lifetime guarantee' often referred to as the Lockwood Guarantee will change to a 25 YEAR MECHANICAL GUARANTEE. The research established that in the minds of Architects, Builders, Locksmiths, Consumers and the distributors of the Lockwood branded products, the term lifetime was unclear. Is it the life of the product? Is it the life of the person purchasing the product? Is it the life of the building where the product was used? It was therefore established that the term 25 YEAR MECHANICAL GUARANTEE from the time of purchase clearly articulated what the brand Lockwood was offering.

The change will be progressively rolled out on the packaging and in the marketing material with all new products offering the new guarantee and all existing products being updated as soon as practical.

Please refer to: www.lockweb.com.au for the full details and if you wish to speak to a customer service officer call **1300LOCKUP (1300 562 587)**.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



ASSA ABLOY



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand

+64 9415 7111
assaabloy.co.nz

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

info.au@assaabloy.com
assaabloy.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.nz@assaabloy.com
assaabloy.co.nz

